

# ROOFINOX<sup>®</sup>

Designboard Volume 2

**HFX STAINLESS  
FOR ROOF +  
FACADE**

**Like no other.**

## Best value solution

long-term investment instead of renovating

## 35% more malleable

most flexible stainless steel and easier to process

## Strongest metall

4 x stronger than aluminium



## Soldering instead of gluing

## Lowest expansion


less oil-canning  
less noise

## Most sustainable roofs and facades

life expectancy of over 200 years  
contains over 90% recycled material


## Light

3,95 kg / m<sup>2</sup>




These HFX stainless surfaces from ROOFINOX offer even more variety. Designed especially for the facade, they can of course also be used for roofing or flashing.

Like no other.



**OPTRON**  
(mirror-rolled and plasma-coloured)



**IONIC**  
(bead-blasted and plasma-coloured)




**PLASMA**  
(brush-rolled and plasma-coloured)



**PYRA-matte Champagne**  
(bead-blasted and electro-coloured)





**PYRA-brilliant Champagne**  
(bead-blasted and electro-coloured)




**PYRA-matte Bronze**  
(bead-blasted and electro-coloured)




**PYRA-brilliant Bronze**  
(bead-blasted and electro-coloured)




**PYRA-matte Anthracite**  
(bead-blasted and electro-coloured)



**PYRA-brilliant Black**  
(bead-blasted and electro-coloured)




**PYRA-matte Antique-gold**  
(bead-blasted and electro-coloured)



**Additional colours**  
available on request

Note: All designs on this page are available as seamable HFX sheet metal (max. length 6.4 m / 21 ft.). Delivery time on request. For more detailed information and dimensions, please refer to our catalogue. The electro-coloured samples are colour examples. PYRA is a natural product and may show batch-dependent colour variation.

# Peace of mind Sustainable Beautiful





# ROOFINOX®

Like no other.



**HFX STAINLESS  
FOR ROOF +  
FACADE**

ROOFINOX GmbH  
Industriestrasse 11, A-6832 Sulz  
T +43 5522-79040-0  
office@roofinox.com, [www.roofinox.com](http://www.roofinox.com)

Available from:

